

Customer: BLAZE EXTRACTS

Sample ID: RMPD 116851
Laboratory Number: CR_9Extraction Technician: HP
Analytical Chemist: HP*Hernan Prieto*

CANNABINOID PROFILE

Extraction Date(s)
03/22/2022Analysis Date(s)
03/22/2022

Cannabinoids (HPLC)

Results

Cannabinoid (%)

Test	100 (mg/g)	mg/g	%	0	20	40	60	80	100
Cannabidiarin (CBDV)	<2.0	0	0						
Cannabidiolic Acid (CBD-A)	N/A	0	0						
Cannabigerolic Acid (CBG-A)	N/A	0	0						
Cannabigerol (CBG)	<2.0	0	0						
Cannabidiol (CBD)	<2.0	20.0	2.00						
Tetrahydrocannabivarin (THCV)	<2.0	0	0						
Cannabinol (CBN)	<2.0	0	0						
delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0						
delta 8-Tetrahydrocannabinol	<2.0	65.72	65.72						
delta 10 - Tetrahydrocannabinol	<2.0	258.0	25.8						
delta 9-Tetrahydrocannabinolic Acid (THC-A)	N/A	0	0						

Cannabinoids Total

Test	mg/g	%	0	20	40	60	80	100
Max Active THC	915.2	91.52						
Max Active CBD	20.0	2.0						
T.Active Cannabinoids	935.2	93.52						
Total Cannabinoids	935.2	93.52						

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.

N/A: Not Analyzed